

PASSCA



Garage Equipment Supplier

www.passca.com

Bottle Jack

PASSCA



Model #	Capacity(tons)	Min.H(mm)	Lifting.H(mm)	Adjust.H(mm)	Max.H(mm)	Net.W(kg)	Package Size(cm)	QTY/CTN(pcs)
80102	2	148	80	50	278	2.1	50X24X18	10
80103	3	180	110	60	350	3.1	58X13X20	5
80105	5	180	110	60	350	4	58X13X21	5
80108	8	200	125	60	385	4.8	52X24X22	4
80110	10	200	125	60	385	5.3	54X15X22	4
80112	12	210	125	60	395	6.3	54X15X22	4
80115	15	225	140	60	425	7.3	32X16X23	2
80120	20	235	145	60	440	9.8	33X17X26	2
80130	30	255	150		405	12.5	34X19X27	2
80150	50	255	150		405	19	21X18X27	1

Bottle Jack

PASSCA



Model #	Capacity(tons)	Min.H(mm)	Lifting.H(mm)	Adjust.H(mm)	Max.H(mm)	Net.W(kg)	Package Size(cm)	QTY/CTN(pcs)
80202	2	158	90	60	308	2.2	50X24X18	10
80203	3	195	125	60	380	3.2	58X13X22	5
80205	5	197	125	60	382	4.1	58X13X22	5
80208	8	200	125	60	385	4.9	52X24X22	4
80210	10	200	125	60	385	5.5	54X15X22	4
80212	12	210	125	60	395	6.5	54X15X22	4
80215	15	225	140	60	425	7.5	32X16X23	2
80220	20	235	145	60	440	10	33X17X26	2
80230	30	255	150	/	405	13.2	34X19X27	2
80250	50	255	150	/	405	30	23X21X30	1



80305



80312



80312L



80320



80320L



80330



80335



80350

Model #	Capacity(tons)	Min.H(mm)	Lifting.H(mm)	Adjust.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80305	5	210	140	80	430	6/7	20X17X24
80312	12	250	165	80	495	12/13	24X18X29
80320	20	260	170	80	510	15/16	28X20X28
80330	30	250	150	/	400	21/22	29X22X27
80335	35	250	150	/	400	21/22	29X22X27
80350	50	265	160	/	425	32/34	46X28X31
80312L	12	175	100	60	335	10/11	41X20X20
80320L	20	175	100	60	335	13/14	41X20X20

Trolley Jack


PASSCA



80401



80402



80403



80404



80405



80406



80407



80408

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80401	2	125	290	5.5/6	43X21X13.5
80402	2	125	300	6.5/7	43X21X13.5
80403	2	130	330	8/9	46X21.5X16
80404	2	130	340	8.5/9	47X23X14.5
80405	2	80	330	10.5/11	55X22.5X15
80406	2	80	360	11/11.5	56X23X15.5
80407	2	80	365	11.5/12.5	59.5X23X15.5
80408	2	140	387	9.5/10.5	39X21X18

Trolley Jack

PASSCA



80409



80410



80411



80412



80413



80414



80415



80416

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80409	2	133	387	10.5/11	55X20X16.5
80410	2.5	140	380	11/11.5	55X20X16.5
80411	2	133	387	10/11	55X20X16.5
80412	2.5	140	380	12/12.5	59X23X15.5
80413	2.5	80	365	13.2/14	59.5X23X15.5
80414	3	133	387	12/12.5	55.5X20X16.5
80415	3	192	532	16/17	63X22X21
80416	3	150	425	15/16.5	63X22X18.5



80501



80502



80503



80504



80505



80506



80507



80508

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80501	2.5	85	387	13.2/14	59X23X15
80502	3	135	470	27/28	68X38X20
80503	3	130	495	28/29	68X38X20
80504	3	130	500	33/34	68X38X20
80505	3.5	135	520	36/37	68X38X20
80506	3	130	470	30.5/32	73X39X18
80507	3	75	505	32/33	77X39X18
80508	3.5	90	550	43/45	82X39.5X18

Long Floor Jack Air Hydraulic Service Jack

PASSCA



80602



80603



80605



80610



80615



80620

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80602	2	140	800	58/60	126X44X21
80603	3	140	620	68/78	154X42X26
80605	5	160	560	90/100	156X43X28
80610	10	170	570	130/145	169X52X33
80615	15	220	680	165/180	165X36X45
80620	20	220	680	215/230	165X36X45



80722



80730



80735



80750

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80722	22	225+20	435+100	36/38	64X35X30
80730	30	263+20	538+100	42/44	64X35X32
80735	35	263+20	538+100	42/44	64X35X34
80750	50	267+20	427+100	44.5/47.5	64X35X36

Transmission Jack

PASSCA



80801



80802



80803



80804



80805



80806



80807



80808

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80801	0.5	1180	1980	28/30	109X23X25
80802	0.5	870	1795	52/58	52X23X80
80803	0.5	855	1770	71/77	57X37X84
80804	1	845	1795	77/83	57X37X97
80805	0.5	790	1715	77/83	57X37X84
80806	0.5	870	1795	71/77	52X23X80
80807	0.6	1270	2075	36/38	109X23X25
80808	0.5	1300	1800	28/30	85X27X28

Low Transmission Jack Engine Crane

PASSCA



80901



80902



80903



80904

Model #	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
80901	0.5	165	465	37/43	82X45X26
80902	1	175	675	52/58	88X53X26
80903	1.5	185	850	71/77	97X55X29
80904	2	210	960	122/129	118X69X34



81001



81002



81003



81004



81005



81006

Model #	Capacity	Max.H(mm)	NW/GW(kg)	Package Size(cm)
81001	1Ton	2200	65/67	1#: 139X32X15 2#: 74X54X9
81002	2Ton	2300	83/85	1#: 139X32X15 2#: 74X54X9
81003	3Ton	2500	112/116	1#: 139X32X15 2#: 74X54X9
81004	1Ton	2160	68/80	145X51X29 wooden case
81005	2Ton	2160	136/150	185X64X60 wooden case
81006	3Ton	2450	156/172	185X64X60 wooden case



Model #	Capacity(lbs)	Working Height(mm)	NW/GW(kg)	Package Size(cm)
81101	750	780	18/19	88X20X18
81102	1000	790	20/21	89X23X20
81103	1250	895	24/25	90X26X23
81104	1500	895	25/26	90X26X23
81105	2000	820	32/33	94X44X16

Engine Leveler Engine Support Beam

PASSCA



81201



81202



81203



81204


Model #	Capacity	NW/GW(kg)	Package Size(cm)	QTY/CARTON
81201	500KGS	4.5/4.8	70X37X26	4PCS
81202	680KGS	5/5.5	49X20X9	4PCS
81203	680KGS	5.2/5.8	49X20X9	4PCS
81204	2000KGS	5.5/6	60X29X27	4PCS




81205



81206



81207



81208

Model #	Capacity	Crossbeam length	NW/GW(kg)	Package Size(cm)
81205	0.3Ton	1100mm	14/15	104X21X10
81206	0.5Ton	1500mm	16/17	155X16X12
81207	0.5Ton	1800mm	20/21	185X16X12
81208	0.5Ton	1700mm	19/20	176X20X9

Wheel Dolly

PASSCA



81301



81302



81303



81304



81305



81306



81307



81308



81309

Model #	Capacity(lbs)	Roller Length	Roller Material	NW/GW(kg)	Package Size(cm)
81301	1500	9'	Plastic	17/19	62X62X22
81302	1500	12'	Plastic	18/20	68X62X22
81303	1500	12'	Steel	20.5/22.5	68X62X22
81304	1500	12'	Alumium	18.5/20.5	68X62X22
81305	1500	13'	Plastic	22/25	70X65X21
81306	1250	9'	Plastic	13.5/15.5	62X60X22
81307	1250	12'	Plastic	14/16	68X62X22

Model #	Capacity(lbs)	NW/GW(kg)	Package Size(cm)	
81308	1000	19/20	64X43X12.5	Standrad Iron Wheel ,Nylon Wheel Also Available
81309	1500	15.5/16	42.5X35.5X10.5	

Jack Stands

PASSCA



81402



81403



81406



81412



81402GS



81403GS



81406GS



81402F



81403F

Model #	Capacity	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
81402	2Ton	275	425	4.6/5	19X18X34
81403	3Ton	285	425	5/5.5	19.5X18X34.5
81406	6Ton	410	600	9/9.5	28X23.5X42
81412	12Ton	487	748	23.5/25	33X30X58
81402GS	2Ton	262	425	5/5.5	19X18X34
81403GS	3Ton	274	412	6.5/7	19.5X18X34.5
81406GS	6Ton	392	600	13.5/14	28X23.5X42
81402F	2Ton	275	365	3/3.2	67X27X31
81403F	3Ton	275	365	3.2/3.4	67X27X31



81501



81502



81503



81504



81505



81506



81507

Model #	Capacity	Min.H(mm)	Stroke(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
81501	4Ton	270	120	390	14/17	60X33X18 Blow Case
81502	4Ton	270	120	390	15/18	57X24X17 Iron Box
81503	10Ton	355	135	490	25/29	73X39X17 Blow Case
81504	10Ton	355	135	490	25/30	93X39X17 Blow Case with wheel
81505	10Ton	355	135	490	25/29	75X30X17 Iron Box
81506	20Ton	280	135	415	#1=31/33 #2=33/35	#1=82X33X18 #2=82X42X12
81507	20Ton	280	135	415	#1=30/32 #2=32/34	#1=82X33X18 #2=82X42X12

Shop Press

PASSCA



81601



81602



81603



81604



81605



81606



81607



81608



81609



81610

Model #	Capacity	Stroke(mm)	Work Range(mm)	NW/GW(kg)	Package Size(cm)
81601	6Ton	125	0-245	26/27.5	95X41X14
81602	12Ton	125	0-760	40/42	133X19X14
81603	20Ton	145	0-700	69/71	145X23X17
81604	30Ton	180	0-835	#1=38/40 #2=60/61	#1=74X22X29 #2=159X16X9
81605	10Ton	175	0-305	45/46	76X53X16
81606	12Ton	150	0-910	67/77	134X21X21
81607	20Ton	170	0-910	88/95	156X23X24
81608	20Ton	170	0-910	88/95	156X23X24
81609	30Ton	150	0-960	125/132	163X29X30
81610	50Ton	190	0-800	220/245	34X93X190



81611



81612



81613



81614



81615



81616



81617



81618



81619



81620

Model #	Capacity	Stroke(mm)	Work Range(mm)	NW/GW(kg)	Package Size(cm)
81611	20Ton	170	0-910	88/95	156X23X24
81612	30Ton	150	0-960	125/132	163X29X30
81613	40Ton	160	0-800	195/210	34X93X180
81614	50Ton	190	0-800	220/245	34X93X190
81615	20Ton	190	0-1030	110/135	174X72X27
81616	30Ton	150	0-1030	135/160	192X78X27
81617	50Ton	190	0-1010	280/310	212X97X31
81618	75Ton	300	0-910	#1=68/80 #2=435/475	#1=51X41X72 #2=202X110X41
81619	100Ton	300	0-1040	#1=68/80 #2=662/682	#1=51X41X72 #2=202X110X41
81620	150Ton	355	0-1100	#1=75/87 #2=1125/1199	#1=37X53X79 #2=138X57X225

Motorcycle Lift

PASSCA



81701



81702



81703



81704



87305



81706



81707



81708



81709

Model #	Capacity(lbs)	Min.H(mm)	Max.H(mm)	Table Size(cm)	NW/GW(kg)	Package Size(cm)
81701	1500	115	375	/	26/28	84X41X14
81702	800	180	680	190X53	104/126	198X58X26
81703	1000	180	780	206X55	115/125	217X61X28
81704	800	200	780	135X53	103/125	151X71X24
81705	1000	195	780	180X66	133/155	191X77X23
81706	800	180	680	190X53	104/126	198X58X26
81707	1000	180	780	206X55	115/125	217X61X28
81708	800	200	780	135X53	103/125	151X71X24
81709	1000	195	780	180X66	133/155	191X77X23



81710



81711



81712



81713

Model #	Capacity(lbs)	Min.H(mm)	Max.H(mm)	Table Size(cm)	NW/GW(kg)	Package Size(cm)
81710	300	350	870	41X35	26/28	44.5X41X36.5
81711	300	350	870	41X35	29/31	44.5X41X36.5
81712	1100	90	405	45X15	14/15	53X34X10
81713	1100	85	340	38X23	1.5/13	45X27X10

Motorcycle Stands

PASSCA



81801



81802



81803



81804



81805



81806



81807



81808







81809

Model #	Capacity(lbs)	NW/GW(kg)	Package Size(cm)	
81801	500	3.8/4.3	100X39X55	
81802	750	6/6.5	107X61X73	
81803	1000	16/18.5	75X52X36	
81804	1500	5.4/6.4	61X47X12.5	
81805	1500	8/9	61X51X20	
81806	1500	10.5/11.5	64X54X16	
81807	1500	12/12.5	64X54X16	
81808	1500	5/5.5	92.5X44.5X44.5	
81809	1250	30/31.5	110X40.5X13.5	

Scissor Jack Hydraulic Scissor Jack

PASSCA



Model #	Capacity	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
81901	0.75	85	270	1.6/1.7	51X37X22
81902	1	85	330	2/2. 1	51X37X22
81903	1.5	85	355	2.4/2. 5	60X42X22
81904	2	105	380	3.1/3. 2	65X44X23.5
81905	1	140	385	13.5/14	39.5X30X16
81906	2	145	385	18.2/18.7	43X31.5X16




82001



82002



82003



82003

Model #	Size	Capacity(tons)	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
82001	20Inch	3	130	330	9/10	55X26.5X14
82002	33Inch	3	130	645	10.5/11.5	89X26.5X14
82003	48Inch	3	130	1045	12.5/13.5	126X26.5X14
82004	60Inch	3	130	1320	14/15	157X26.5X14



82101



82102



82103



82104



82105



82106

Model #	Capacity(tons)	Bending die sizes	NW/GW(kg)	Package Size(cm)
82101	12	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in	29/31	65X54X15
82102	16	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in., 2-1/2 in, 3in	53/55	68X61X19
82103	12	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in	38/40	63X54X17
82104	16	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in., 2-1/2 in, 3in	56/63	68.5X25X59
82105	12	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in	52/58	77X35X24
82106	16	1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in., 2-1/2 in, 3in	56/63	77X35X24

Spring Compressor

PASSCA



82201



82202



82203



82204



82205



82206

Model #	Capacity(lbs)	Spring Diameter	NW/GW(kg)	Package Size(cm)
82201	2200	/	29/34	115X31X19
82202	2200	8-16CM	30/35	115X31X19
82203	2200	/	30/35	115X31X21
82204	2200	8-16CM	31/36	115X31X21
82205	2200	8-16CM	25/26	70X19X25
82206	2200	8-16CM	40/42	123X29X17

Car Ramp


PASSCA



82301



82302



82303



82304



82305



82305

Model #	Capacity(tons)	NW(kg)	QTY/CTN(pcs)	Package Size(mm)
82301	1-1.5	4.2	6	101.5X32X46.5
82302	1.5-2	8.8	2	102X32X30
82303	1.5	7	2	102X32X30
82304	2	18	2	141X36X11
82305	3	10	/	94X32X29
82306	3	3.2	/	72X22X12



Model #	Size	NW/GW(kg)	Package Size(cm)	
82401	36inch	3.8/4.8	93X50X9	
82402	40inch	4.5/4.5	103X50X9	
82403	36inch	5.5/6.7	95X46X13	
82404	40inch	6.5/7.5	105X47X13	
82405	36inch	5.6/6.6	95X46X13	
82406	40inch	6.7/8	105X47X13	
82407	36inch	5.8/6.8	94X50X12	
82408	40inch	6.8/7.8	105X50X12	



Model #	NW/GW(kg)	Package Size(cm)	
82409	4.2X4.5	38X10X46	
82410	5.4X5.8	38X14X50	
82411	5X5.5	40X18X40	
82412	6.5X7.5	39X38X15	

Pickup Crane

PASSCA



82501



82502



82503



82504



82505



82506

Model #	Capacity	Working Range(mm)	NW/GW(kg)	Package Size(mm)
82501	1000lbs	870-1290	1#=7.5/8.5 2#=29/31	1#=29X29X30 2#=107X28X19.5
82502	2000lbs	870-1290	1#=9.5/10.5 2#=46/47	1#=29X29X30 2#=107X28X19.5
82503	1000lbs	870-1290	1#=7.5/8.5 2#=31/33	1#=29X29X30 2#=107X28X19.5
82504	2000lbs	870-1290	1#=9.5/10.5 2#=48/50	1#=29X29X30 2#=107X28X19.5
82505	1000lbs	20-1290	28/30	82X27X19
82506	1000lbs	790-1810	46/48	107X27X22



82601



82602



82603



82604



82605



82606

Model #	Capacity	Min.H(mm)	Max.H(mm)		
82601	2.2Ton	145	305	2 Bag	
82602	2.2Ton	150	435	3 Bag	
82603	2.2Ton	145	305	2 Bag	Long Handle
82604	2.2Ton	150	435	3 Bag	Long Handle
82605	2Ton	150	310		
82606	2Ton	180	395		



Car Rotisserie 82607



Car Rotisserie 82608



Car Rotisserie 82609



Frame Straightener 82610



Mini Tilting Lift 82611



Mini Tilting Lift 82612

Model #	Capacity	Min.H(mm)	Max.H(mm)	NW/GW(kg)	Package Size(cm)
82607	3000lbs	/	/	173/190	154X72X36
82608	4000lbs	/	/	180/200	155X75X40
82609	4000lbs	/	/	188/208	155X75X40
82610	10Ton	/	/	180/220	307X47X34
82611	1500kg	150	585	58/85	170X86X18
82612	1500kg	150	585	67/92	135X90X18



Model #	Capacity	Min.Height	Max.Height	Lifting Height	Air Pressure	NW/GW	Package Size
82701	15/30Ton	155mm	426mm	73/73mm	0.8-1.2Mpa	51/67kg	145X33X28cm
82702	25/50Ton	210mm	531mm	94/102mm	0.8-1.2Mpa	60/77kg	145X33.5X33cm
82703	10/25/50Ton	151mm	442mm	52/54/60mm	0.8-1.2Mpa	56/72kg	145X33X28cm
82704	40/80Ton	210mm	531mm	94/102mm	0.8-1.2Mpa	69/86kg	145X33.5X33cm
82705	50/100Ton	231mm	552mm	94/102mm	0.8-1.2Mpa	75/92kg	145X33.5X33cm

Parts Washer

PASSCA



82801



82802



82803



82804



82805



82806

Model #	NW/GW(kg)	Package Size(cm)	
82801	6.5/7.5	47X36X25	3.5 Gallon
82802	23/26	79X55X32	20 Gallon
82803	25/28	79X55X32	20 Gallon With Castors
82804	34/37	87X57X50	With Shelf
82805	42/45	114X55X33	40 Gallon
82806	45/48	114X55X36	Dual Use

Sand Blaster

PASSCA



82901



82902



82903



82904



82905



82906



82907



82908



82909



82910



82911

Model #	NW/GW	Package Size		
82901	17.5/19kg	64X51X52cm	90L Benchtop	
82902	26.5/28kg	77X51X73cm	110L Benchtop	
82903	43/47kg	96X62X62.5cm	220L	
82904	90/105kg	128X99X76cm	350L	
82905	113/147.5kg	128X125X77cm	420L	
82906	160/190kg	133X96X107cm	990L	
82907	200/245kg	143X135X108cm	1200L	
82908	13/15kg	62X42X36cm	5 Gallon	
82909	17/19kg	77X42X38cm	10 Gallon	
82910	21/23kg	88X46X42cm	20 Gallon	
82911	32/35kg	102X46X51.5cm	28 Gallon	



83001



83002



83003



83004



83005



83006



83007

Model #	Discharge Pressure	Extraction Pressure	Tank Volume	Measuring Cup Volume	Package Size	Remark
83001	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	
83002	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	
83003	0.7-1 Bar	6-10 Bar	80L		51X43X89CM	SUCTION/GRAVITY
83004			80L		51X43X89CM	GRAVITY
83005	Electric Oil Drainer		80L	10L	51X43X89CM/25X25X52CM	
83006	Low Profile Oil Drainer				51X43X89CM/25X25X52CM	
83007	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	Different Measuring Cup



83008



83009



83010



83011



83012



83013



83014



83015

Model #	Discharge Pressure	Extraction Pressure	Tank Volume	Measuring Cup Volume	Package Size	Remark
83008	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	
83009	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	Square Oil Pan
83010	0.7-1 Bar	6-10 Bar	80L	10L	51X43X89CM/25X25X52CM	Internal Rod
83011			80L		51X43×89CM	Without Measuring Cup
83012	Pneumatic		80L	10L	51X43X89CM/25X25X52CM	
83013	Pneumatic		80L		51X43X89CM/25X25X52CM	
83014			80L		51X43X89CM	Bigger Oil Pan
83015			80L		51×43×63CM	

Waste Oil Collect Trolley

PASSCA



83016



83017



83018



83019



83020



83021




83022

Model #	Oil Draining Method	Capacity	Package Size	Material	
83016	Hand Pump	18 Gallon	113×70×20CM	Polypropylene	
83017	Air Vent	9 Gallon	75.5×40×18CM		
83018	Hand Pump	15 Gallon	104.5×49×18CM		
83019	Hand Pump	17 Gallon	98.5×50×18CM		
83020	Hand Pump	20 Gallon	98.5×50×21CM		
83021	Electric Pump	15 Gallon	104.5×49×18CM		
83022	Electric Pump	20 Gallon	109.5×50×25CM		



Electro-Hydraulic 2 Post Lift Floor Plate Type, Manual two sides lock release


83101



Lifting capacity	4000kg
Mount width	3380mm
Height of post	2824mm
Lifting height	1800mm
Width between post	2830mm
Min. height	100mm
Lifting time	<50s
Lowering time	<40s
Motor power	2.2kw
Power supply	220v/380v



Technical drawing of the PSCA 1000 cabinet showing dimensions in mm. The drawing includes a side view and a front view. The side view shows a height of 2711 mm and a depth of 360 mm. The front view shows a width of 2830 mm and a height of 2824 mm. The internal width is 3380 mm. The internal height is divided into three sections: MIN=1880 mm, MAX=1945 mm, and MIN=100-165 mm. The MAX=2565 mm dimension is also shown. The drawing is labeled PSCA 1000.




Lifting capacity	4000kg
Lifting height	1880mm
Height of post	2824mm
Width between post	2830mm
Mount width	3380mm
Min. height	100mm
Lifting time	<50s
Lowering time	<40s
Motor power	2.2kw
Power supply	220v/380v



Electro-Hydraulic 2 Post Lift Floor Plate Type, Manual Single Side Lock Release

83103




Lifting capacity	4000kg
Lifting height	1880mm
Min. height	105mm
Lifting time	<50s
Motor power	2.2kw
Mount width	3380mm
Height of post	2824mm
Width between post	2830mm
Lowering time	<40s
Power supply	220v/380v



Electro-Hydraulic 2 Post Lift Floor Plate Type, Automatic Lock Release

83104




Lifting capacity	5500kg
Lifting height	1880mm
Min. height	100mm
Lifting time	55s
Lowering time	50s
Motor power	3kw
Power supply	220v/380v 1/3phase



Electro-Hydraulic 2 Post Lift Clear Floor Type, Manual Two Sides Lock Release

83105




Lifting capacity	4000kg
Lifting height	1800mm
Min. height	100mm
Lifting time	<50s
Motor power	2.2kw
Mount width	3380mm
Height of post	3724mm
Width between post	2830mm
Lowering time	<40s
Power supply	220v/240v/380v/415v



Electro-Hydraulic 2 Post Lift Clear Floor Plate Type, Manual Single Side Lock Release

83106




Lifting capacity	4000kg
Lifting height	1880mm
Height of post	3724mm
Width between post	2830mm
Mount width	3380mm
Min. height	105mm
Lifting time	<50s
Lowering time	<40s
Motor power	2.2kw
Power supply	220v/240v/380v/415v



Electro-Hydraulic 2 Post Lift Clear Floor Type, Automatic Lock Release

83107




Lifting capacity	4000kg
Lifting height	1880mm
Min. height	100mm
Lifting time	<50s
Motor power	2.2kw
Mount width	3380mm
Height of post	3724mm
Width between post	2830mm
Lowering time	<40s
Power supply	220v/240v/380v/415v



Electro-Hydraulic 2 Post Lift Clear Floor Plate Type, Manual Single Side Lock Release

83108





Lifting capacity	4500kg
Lifting height	1880mm
Min. height	100mm
Lifting time	<50s
Motor power	2.2kw
Mount width	3380mm
Height of post	3724mm
Width between post	2830mm
Lowering time	<40s
Power supply	220v/240v/380v/415v



Electro-Hydraulic 2 Post Lift Clear Floor Type, Automatic Lock Release

83109




Lifting capacity	6000kg
Lifting height	1880mm
Min. height	100mm
Lifting time	<55s
Motor power	3kw
Mount width	3980mm
Height of post	4446mm
Width between post	3300mm
Lowering time	<50s
Power supply	220v/380v 1/3phase



Two Post Mobile Lift

83110




Lifting capacity	3000kg
Lifting height	1505mm
Min. height	85mm
Lifting time	35s
Motor power	2.2kw
Power supply	220v/380v



Mid-rise scissor lift

83111




Lifting capacity	3000kg
Lifting height	1000mm
Min. height	110mm
Lifting time	20s
Lowering time	20s
Motor power	2.2kw
Power supply	220v/380v 1/3phase



Portable Scissor Lift

83112





Lifting capacity	2800kg
Lifting height	1330mm
Min. height	110mm
Lifting time	30s
Length	2550mm
Width	1000mm
Power supply	220v/380v



In-ground Scissor Lift

83113




Lifting capacity	3500kg
Lifting height	1800mm
Table length	1550-1750mm
Table width	555mm
Lifting time	<50s
Motor power	2.2kw
Power supply	220v/380v



Low Profile Scissor Lift, Surface Mounting

83114




Lifting capacity	3000kg
Lifting height	1830mm
Min. height	110mm
Table length	1450-1990mm
Table width	660mm
Lifting time	<50s
Motor power	2.2kw
Power supply	220v/380v



Two Level Alignment Scissor Lift, In-Ground Mounting

83115





Lifting capacity	4000kg
Lifting height	1850+420mm
Min. height	330mm
Platform length	4300mm
Lifting time	50s
Lowering time	45s
Motor power	2.2kw
Power supply	220v/380v 1/3phase



Mobile Single Post Lift, Manual Lock Release

83116




Lifting capacity	2500kg
Lifting height	1850mm
Min. height	125mm
Lifting time	35s
Lowering time	30s
Motor power	2.2kw
Power supply	220v/380v




Mobile Single Post Lift, Automatic Lock Release

83117






Lifting capacity	2500kg
Lifting height	1850mm
Min. height	125mm
Lifting time	35s
Lowering time	30s
Motor power	2.2kw
Power supply	220v/380v



Electro-Hydraulic 4 Post Lift For Wheel Alignment

83118/83119






Min. height	215mm	215mm
Lifting capacity	1750mm	1750mm
Runway length	4250mm	5000mm
Runway width	918-1118mm	918-1118mm
Unilateral runway width	480mm	480mm
Max. through width	2850mm	2850mm
Lifting time	70s	70s
Motor power	2.2kw	2.2kw
Power supply	220/240/380v/415V	220/240/380v/415V



Electro-Hydraulic 4 Post Parking Lift

83120



Lifting capacity	4000kg
Lifting height	1880mm
Overall length	4430mm
Height of post	2190mm
Runway width	955mm
Mount width	5400*2930mm
Lifting time	70s
Motor power	2.2kw
Power supply	220/240/380v/415V

Tyre Changer

PASSCA



83301



83302



83303



83304



83305



83306



83307



83308

Model #	Motor Power	Power Supply	Max.Wheel Diameter	Max.Wheel Width	Outside Clamping	Inside Clamping
83301	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	12'-24'	14'-26'
83302	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	11'-22'	12'-24'
83303	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	11'-21'	12'-24'
83304	0.75KW/1.1KW	220V/380V/110V	1100mm	340mm	11'-21'	12'-24'
83305	0.75KW/1.1KW	220V/380V/110V	1040mm	330mm	11'-21'	12'-24'
83306	0.75KW/1.1KW	220V/380V/110V	1040mm	310mm	11'-21'	12'-24'
83307	0.75KW/1.1KW	220V/380V/110V	950mm	290mm	10'-19'	12'-21'
83308	0.75KW/1.1KW	220V/380V/110V	950mm	230mm	5'-14'	11'-22'



83401



83402



83403



83404

Model #	Power Supply	Motor Power	Max. Wheel Weight	Rim Diameter
83401	220V/110V	0.25kw	65kg	10-24"
83402	220V/110V	0.25kw	65kg	10-24"
83403	220V/110V	0.25kw	65kg	10-24"
83404	220V/110V	0.25kw	65kg	10-24"

Model #	Wheel Width	NW/GW	Package Size	
83401	1.5-15"	115/145kg	96.5X83X115cm	
83402	1.5-15"	100/132kg	96.5X83X115cm	
83403	4-13"	96/125kg	83X103X117cm	
83404	4-13"	80/105kg	67X89X116cm	

Tyre Changer

PASSCA



83301



83302



83303



83304



83305



83306



83307



83308

Model #	Motor Power	Power Supply	Max.Wheel Diameter	Max.Wheel Width	Outside Clamping	Inside Clamping
83301	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	12'-24'	14'-26'
83302	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	11'-22'	12'-24'
83303	0.75KW/1.1KW	220V/380V/110V	1100mm	330mm	11'-21'	12'-24'
83304	0.75KW/1.1KW	220V/380V/110V	1100mm	340mm	11'-21'	12'-24'
83305	0.75KW/1.1KW	220V/380V/110V	1040mm	330mm	11'-21'	12'-24'
83306	0.75KW/1.1KW	220V/380V/110V	1040mm	310mm	11'-21'	12'-24'
83307	0.75KW/1.1KW	220V/380V/110V	950mm	290mm	10'-19'	12'-21'
83308	0.75KW/1.1KW	220V/380V/110V	950mm	230mm	5'-14'	11'-22'



83401



83402



83403



83404

Model #	Power Supply	Motor Power	Max. Wheel Weight	Rim Diameter
83401	220V/110V	0.25kw	65kg	10-24"
83402	220V/110V	0.25kw	65kg	10-24"
83403	220V/110V	0.25kw	65kg	10-24"
83404	220V/110V	0.25kw	65kg	10-24"

Model #	Wheel Width	NW/GW	Package Size	
83401	1.5-15"	115/145kg	96.5X83X115cm	
83402	1.5-15"	100/132kg	96.5X83X115cm	
83403	4-13"	96/125kg	83X103X117cm	
83404	4-13"	80/105kg	67X89X116cm	



Jiaxing Passca Tools Co.,Ltd

